

R/G LEVELING COMPOUND (6X32OZ) 15192 GHS

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

# SECTION 1. PRODUCT IDENTIFICATION

#### 1.1 TRADE NAME (AS LABELED):

SYNONYMS: CAS#:

# 1.2 PRODUCT USE:

# **1.3 MANUFACTURER'S NAME:**

ADDRESS: BUSINESS PHONE: WEB SITE INFORMATION: 1.4 EMERGENCY PHONE NUMBERS: DATE OF CURRENT REVISION: DATE OF PRIOR REVISION:

## R/G LEVLING COMPOUND (6X32OZ) 15192

Invert water out emulsion Mixture Scratch remover **ChemRite CoPac, Inc** 19725 W. Edgewood Dr., Lannon, WI 53046 1-262-255-3880 http://chemritecopac.com/ 1-262-255-3880 June 6, 2024 May 28, 2018

# SECTION 2. HAZARD IDENTIFICATION

**EMERGENCY OVERVIEW:** This product is a tan opaque creme with a mild odor.

**Health Hazards:** May cause eye irritation. Harmful if swallowed. Prolonged or repeated inhalation may cause damage to the central nervous system.

Flammability Hazards: This product is a Non-Flammable liquid with a flash point of >207°F (>97.2°C).

Reactivity Hazards: None known

**Environmental Hazards:** The Environmental effects of this product have not been investigated. Release of this product is not anticipated to have significant adverse effects in the aquatic environment.

#### 2.1 GHS LABELING AND CLASSIFICATION:

This product meets the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 and regulation (EU) No. 2020/878 and regulation (EC) No. 1272/2008.

## Index Number:

EC# 265-191-7 Annex VI Index# 649-405-00-X

Remaining components are not classified in Annex VI

Substances not listed either individually or in group entries must be self-classified.

#### Component(s) Contributing to Classification(s)

Mineral Spirits

# 2.2 LABEL ELEMENTS

GHS Hazard Symbol(s)



Signal Word: Danger!

**GHS Hazard Classification(s):** 

Specific Target Organ Toxicity – Repeated Exposure Category 1

Aspiration Hazard Category 1

## Hazard Statement(s):

H372: Causes damage to organs through prolonged or repeated exposure

H304: May be fatal if swallowed and enters airways

#### Prevention Statement(s):

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

## Response Statement(s):

P314: Get medical advice/attention if you feel unwell. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331: Do NOT induce vomiting.



R/G LEVELING COMPOUND (6X32OZ) 15192 GHS

Storage Statement(s): P405: Store locked up.

Disposal Statement(s):

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 OTHER HAZARDS:

None Applicable

# SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	Hazard Classification
Water	55%	7732-18-5	231-731-2	Not Classified
Calcined Kaolin	15-25%	92704-41-1	296-473-8	Not Classified
Mineral Spirits	10-30%	64742-88-7	265-191-7	Asp. Tox. Cat 1, STOT RE Cat 1
Oleic Acid	1-5%	112-80-1	204-007-1	Not Classified
Triethanolamine	1-5%	102-71-6	203-049-8	Eye Irrit. Cat 2A

Exact concentrations withheld as trade secret.

# 4. FIRST-AID MEASURES

## 4.1 DESCRIPTION OF FIRST AID MEASURES:

**EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for several minutes. Remove contact lenses if present and easy to do. Continue rinseing for at least 15 minutes. Seek medical attention.

**SKIN CONTACT**: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Individuals with pre-existing skin conditions may be more susceptible to adverse effects.

## 4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Contact with eyes or respiratory system may cause mild irritation.

#### **4.3 RECOMMENDATIONS TO PHYSICIANS:**

Treat symptoms and eliminate overexposure.

# **SECTION 5. FIRE-FIGHTING MEASURES**

#### 5.1 FIRE EXTINGUISHING MATERIALS:

Use fire extinguishing methods below:

Water Spray:	Yes	Carbon Dioxide:
Foam:	Yes	Dry Chemical:
Halon:	Yes	Other:

Yes Yes Any "C" Class

## 5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

None anticipated <u>Explosion Sensitivity to Mechanical Impact</u>: No Explosion Sensitivity to Static Discharge: No

## 5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive area.



R/G LEVELING COMPOUND (6X32OZ) 15192 GHS

# SECTION 6. ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection. Evacuate personnel to safe areas. Do not touch or walk through spilled material.

#### **6.2 ENVIRONMENTAL PRECAUTIONS:**

Construct a dike to prevent spreading. Runoff from fire control or dilution water may cause pollution. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

#### 6.3 SPILL AND LEAK RESPONSE:

Move containers from spill area. Prevent entry into sewers, water courses, basement or confined areas. Stop the flow of material, if this can be done safety. Eliminate sources of ignition. Contain discharged material. Absorb spill using an absorbent, non-combustible material such as earth, sand, or vermiculite. Place in a proper container for disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

# SECTION 7. HANDLING and STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING:

To prevent skin and eye contact under the foreseeable conditions of use, wear appropriate protective clothing and safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Handle in a well-ventilated work area.

#### 7.2 STORAGE AND HANDLING PRACTICES:

Store in original container. Keep container closed. Store in a cool, dry, well ventilated area. Avoid freezing or extended storage in high temperatures and away from incompatible materials.

#### 7.3 SPECIFIC USES:

Scratch remover.

# SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **8.1 EXPOSURE PARAMETERS:**

No data available for this product.

#### **8.2 EXPOSURE CONTROLS:**

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

**RESPIRATORY PROTECTION:** Not normally required when using this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Safety glasses or goggles are recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

**HAND PROTECTION:** Gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION:** Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.



R/G LEVELING COMPOUND (6X32OZ) 15192 GHS

# SECTION 9. PHYSICAL and CHEMICAL PROPERTIES

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: This product is a light tan opaque creme with a mild odor. **ODOR:** Mild **ODOR THRESHOLD:** Not Applicable pH: Not Available MELTING/FREEZING POINT: Not Available BOILING POINT: >210°F FLASH POINT: 207°F (Tag Closed Cup) EVAPORATION RATE (Water=1): 1.32 FLAMMABILITY (SOILD, GAS): Not Applicable UPPER/LOWER FLAMMABILITY OR EXLOSION LIMITS: Not Applicable VAPOR PRESSURE (mm Hg @ 20°C (68°F): >.50 MMHG VAPOR DENSITY: Not Available **RELATIVE DENSITY:** Not Available SPECIFIC GRAVITY: 1.146 SOLUBILITY IN WATER: Soluble WEIGHT PER GALLON: Not Available PARTITION COEFFICENT (n-octanol/water): Not Available AUTO-IGNITION TEMPERATURE: Not Applicable **DECOMPOSITION TEMPERATURE:** Not Available VISCOSITY: Not Available 9.2.1 INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES **EXPLOSIVES:** Not Available FLAMMABLE GASES: Not Available **AEROSOLS:** Not Available **OXIDISING GASES:** Not Available **GASES UNDER PRESSURE:** Not Available FLAMMABLE LIQUIDS: Not Available FLAMMABLE SOLIDS: Not Available

SELF-REACTIVE SUBSTANCES AND MIXTURES: Not Available

**PYROPHORIC LIQUIDS:** Not Available

PYROPHORIC SOLIDS: Not Available

SELF-HEATING SUBSTANCES AND MIXTURES: Not Available SUBSTANCES AND MIXTURES, WHICH EMIT FLAMMABLE GASES IN CONTACT WITH WATER: Not Available

**OXIDISING LIQUID: Not Available** 

**OXIDISING SOLID:** Not Available

**ORGANIC PEROXIDES:** Not Available

**CORROSIVE TO METALS:** Not Available

DESENSITISED EXPLOSIVES: Not Available

**GASES UNDER PRESSURE:** Not Available

## 9.2.2 OTHER SAFETY CHARACTERISTICS

**MECHANICAL SENSTIVITY: Not Available** SELF-ACCELERATING POLYMERISATION TEMPERATURE: Not Available FORMATION OF EXPLOSIBLE DUST/AIR MIXTURES: Not Available ACID/ALKALINE RESERVE: Not Available **EVAPORATION RATE:** Not Available **MISCIBILITY:** Not Available **CONDUCTIVTY:** Not Available **CORROSIVENESS:** Not Available GAS GROUP: Not Available **REDOX POTENTIAL: Not Available RADICAL FORMATION POTENTIAL: Not Available** PHOTOCATALYTIC PROPERTIES: Not Available



R/G LEVELING COMPOUND (6X32OZ) 15192 GHS

# **SECTION 10. STABILITY and REACTIVITY**

#### 10.1 REACTIVITY:

No data available

#### 10.2 STABILITY:

Stable under conditions of normal storage and use.

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur.

## **10.4 CONDITIONS TO AVOID:**

#### Incompatible materials.

## **10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:**

Strong oxidizing materials.

#### **10.6 HAZARDOUS DECOMPOSITION PRODUCTS:**

Thermal decomposition products include carbon dioxide and carbon monoxide.

## SECTION 11. TOXICOLOGICAL INFORMATION

#### **11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:**

**TOXICITY DATA:** No specific data available on this product.

Acute toxicity	Based on available data, the classification criteria are not met		
Skin corrosion / irritation	Based on available data, the classification criteria are not met		
Serious eye damage / irritation	Based on available data, the classification criteria are not met		
Respiratory or skin sensitization	Based on available data, the classification criteria are not met		
Germ cell mutagenicity	Based on available data, the classification criteria are not met		
Carcinogenicity	Based on available data, the classification criteria are not met		
Reproductive toxicity	Based on available data, the classification criteria are not met		
STOT-single exposure	Based on available data, the classification criteria are not met		
STOT-repeated exposure	Specific Target Organ Toxicity – Repeated Exposure – Category 1		
Aspiration hazard	Aspiration Hazard Category 1		

**ROUTE OF EXPOSURE:** The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described below.

#### ACUTE:

**INHALATION:** Inhalation of vapors/mist/spray may cause respiratory irritation. Prolonged exposure may damage central nervous system.

**CONTACT WITH SKIN:** Prolonged and repeated contact may cause irritation to skin.

EYE CONTACT: Direct eye contact can cause irritation with redness, tearing and blurred vision.

**INGESTION:** Aspiration hazard. Ingestion of large amounts may cause gastrointestinal irritation, nausea and vomiting. **CHRONIC**: Prolonged exposure can be irritating to skin.

#### TARGET ORGANS: Acute: Lungs Chronic: Central Nervous System

**SUSPECTED CANCER AGENT:** Ingredients within this product are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

**IRRITANCY OF PRODUCT:** This product may be irritating to the skin and eyes.

**SENSITIZATION TO THE PRODUCT:** This product is not expected to be a skin or respiratory sensitizer.

**REPRODUCTIVE TOXICITY INFORMATION:** No specific information is available concerning the effects of this product and its components on the human reproductive system.

#### 11.2 INFORMATION ON OTHER HAZARD CLASSES WHICH RELATES TO ENDOCIRNE DISRUPTING PROPERTIES: No specific data available for this product.

# **SECTION 12. ECOLOGICAL INFORMATION**

#### 12.1 TOXICITY:

## No specific data available on this product.

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

#### 12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.



R/G LEVELING COMPOUND (6X32OZ) 15192 GHS

## 12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

**12.6 ENDOCRINE DISRUPTING PROPERTIES:** 

No specific data available on this product.

## 12.7 OTHER ADVERSE EFFECTS:

No specific data available on this product.

#### 12.8 WATER ENDANGERMENT CLASS:

May be water endangering in accordance with EU Guideline 91/155-EWG. Do not allow product to reach ground water, water course or sewage system. At present there are no ecotoxicological assessments for this product.

# SECTION 13. DISPOSAL CONSIDERATIONS

## 13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

#### 13.2 EU WASTE CODE:

Not determined.

# **SECTION 14. TRANSPORTATION INFORMATION**

## US DOT, IATA, IMO, ADR:

**14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:** This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN IDENTIFICATION NUMBER:	None		
PROPER SHIPPING NAME:	Non-Regulated Material		
HAZARD CLASS NUMBER and DESCRIPTION:	None		
PACKING GROUP:	None		
DOT LABEL(S) REQUIRED:	None		
NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: None			
RQ QUANTITY:	None		
MARINE POLLUTANT: The components of this product are not	designated by the Department of Transportation to be		
Marine Pollutants (49 CFR 172.101, Appendix B).			
INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is not considered as			
dangerous goods.			
INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is not considered as			
dangerous goods.			

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

# **SECTION 15. REGULATORY INFORMATION**

## 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE: UNITED STATES REGULATIONS:

**U.S. SARA REPORTING REQUIREMENTS:** The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act. **U.S. SARA 311/312:** Acute Health Hazard, Chronic Health Hazard.

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None.

**U.S. TSCA INVENTORY STATUS:** The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None known

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): This product does not contain ingredients on the Proposition 65 Lists.

## 15.2 CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: Components are DSL Listed, NDSL Listed and/or are exempt from listing

ChemRite CoPac, Inc.



R/G LEVELING COMPOUND (6X32OZ) 15192 GHS

#### OTHER CANADIAN REGULATIONS: Not applicable.

## CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product has been classified per WHMIS 2015.

## 15.3 EUROPEAN ECONOMIC COMMUNITY INFORMATION:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

See Section 2 for Details

## CHEMICAL SAFETY ASSESSMENT :

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

**15.4 AUSTRALIAN INFORMATION FOR PRODUCT:** Components of this product are listed on the International Chemical Inventory list.

## **15.5 JAPANESE INFORMATION FOR PRODUCT:**

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

## **15.6 INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the components on individual country Chemical Inventories is as follows: Asia-Pac: Listed Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed Swiss Giftliste List of Toxic Substances: Listed U.S. TSCA: Listed

# **SECTION 16. OTHER INFORMATION**

HMIS Rating (Scale 0-4)	NFPA Rating (Scale 0-4)
Health hazard: 2	Health hazard: 2
Flammability: 1	Flammability: 1
Physical Hazard: 0	Physical Hazard: 0

#### PREPARED BY:

Chris Eigbrett

MSDS to GHS Compliance www.MSDStoGHS.com

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. ChemRite CoPac, Inc. assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are no adhered to as stipulated in the data sheet. Furthermore, ChemRite CoPac, Inc. assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

DATE OF CURRENT REVISION	CHANGES MADE	<u>COMMENTS</u>
June 6, 2024	SDS Review / Update	Included 2020/878 requirements

# END OF SDS SHEET